5

15

20

CLAIMS

What is claimed is:

1. A bib forming a generally rectangular planar surface having a first vertical edge parallel to and opposite from a second vertical edge, said first vertical edge being straight and smooth, and parallel to said second vertical edge which is also straight and smooth, said bib comprising:

supporting means comprising a neck ring perforation placed near, but slightly below the uppermost edge, and formed in a circular manner.

- 2. The bib of Claim 1, wherein said neck ring perforation has an overall diameter of approximately four inches.
- 3. The bib of Claim1, wherein said neck ring perforation is located at its centerpoint at approximately 3-1/2 inches below an uppermost linear edge.
- 4. The bib of Claim 1, further comprising:

a concave lower protrusion extending downward from the main planar surface at a lower boundary in a symmetric, curvilinear manner having an upward arching lowermost point that smoothly transitions at each end to a horizontal extension at each of the side-most portions of the lower perimeter

REF: 9601927-D REV: 4/3/01

5

20

edge of the bib.

5. The bib of Claim 4, further comprising:

a convex upper indentation protruding inward into the main planar surface at the upper boundary of the bib, wherein said convex upper indentation is formed in a symmetric, curvilinear manner having an upward arching lowermost point that smoothly transitions at each end to a horizontal extension at each of the side-most portions of the upper perimeter edge of the bib.

6. A plurality of linearly aligned, rolled bibs adapted for disposable use, where each said roll of bibs is comprised of a plurality of individual bib elements, each said bib element comprising:

supporting means comprising a neck ring perforation placed near, but slightly below the uppermost edge, and formed in a circular manner.

7. The plurality of linearly aligned, rolled bibs adapted for disposable use of Claim 6, wherein each said bib element further comprising:

a concave lower protrusion extending downward from the main planar surface at a lower boundary in a symmetric, curvilinear manner having an upward arching lowermost point that smoothly transitions at each end to a

REF: 9601927-D

REV: 4/3/01

The first state of the state of

15

20

horizontal extension at each of the side-most portions of the lower perimeter edge of the bib; and

a convex upper indentation protruding inward into the main planar surface at the upper boundary of the bib, wherein said convex upper indentation is formed in a symmetric, curvilinear manner having an upward arching lowermost point that smoothly transitions at each end to a horizontal extension at each of the side-most portions of the upper perimeter edge of the bib.

- The bib of Claim 1, wherein said neck ring perforation is formed at three 8. tears per inch.
- The bib of Claim 1, wherein said bib element has an overall width of 9. approximately nine and one-half inches and an overall length of approximately fourteen and one-half inches.
- The bib of Claim 1, further comprising adhesive tabs affixed to said bib 10. above said supporting means.
- The bib of Claim 1, wherein said bib element is formed of a nonwoven, 11. smooth calendered, lower linting fabric composed of virgin bleached wood pulp

REF: 9601927-D

fiber and a polymer emulsion.

REF: 9601927-D REV: 4/3/01